

## HOMEOWNER MAINTENANCE GUIDE



# **BOISE**



## **TABLE OF CONTENTS**

## HOME MAINTENANCE GUIDE

IMPORTANT PHONE NUMBERS	1
EMERGENCY SWITCH & VALVE LOCATIONS	3
INTRODUCTION	4
HOME EXTERIORS	5
• FOUNDATION	6
• EXTERIOR WALLS	7
• ROOF & GUTTERS	9
WINDOWS AND DOORS	10
HOME INTERIORS	11
• PLUMBING	16
ELECTRICAL SYSTEM	22
HEATING & AIR CONDITIONING SYSTEMS	25
MONTHLY MAINTENANCE/INSPECTION CHECKLIST	28

## **IMPORTANT PHONE NUMBERS**

The first thing you need to do is to make a list of important phone numbers that you may need to help maintain your home.

Once you have read this Homeowner Maintenance Guide, be sure to keep it in a safe place, so you will know where it is in case of emergencies. FOR EMERGENCIES, CALL 911

My Address:	
My Phone:	
Emergency Contact:	

#### FIRE, POLICE, EMERGENCY NUMBERS

Fire Department	208-570-6500
Police Department	208-570-6000
Sheriff's Office	208-577-3000
Closest Hospital (St. Als)	208-367-2121
Insurance Company	208-947-2497

#### **UTILITIES' EMERGENCY NUMBERS**

Idaho Power Company	208-388-2323
Intermountain Gas	208-377-6840
United Water	208-362-7304
West Boise Sewer District	208-375-8521
ACHD (Streets)	208-387-6100
Republic Services (Trash)	208-345-1266

#### **REPAIR SERVICE EMERGENCY NUMBERS**

Heating Service			
Air-Conditioning Service			
Telephone Repair Service			
Plumber			
Electrician			
Carpenter			
Painter			
Appliance Repair Services			
Roofer			
OTHER REPAIR SERVICES			

## **EMERGENCY SWITCH/VALVE LOCATIONS 3**

Now, take a minute to find the shut-off valves for your utilities. Then write down where they are located so someone else could find them if necessary. Make note of any special conditions about the location of each one or how it works. Also, read the warranty and instructions for all your appliances. Then place all this information in one location so you can find it when you need it.

#### **ELECTRICAL MAIN SWITCH LOCATION**



Will be located on the exterior of the home

#### WATER MAIN VALVE LOCATION



Either in Master Closet or Utility room

#### HOT WATER HEATER SHUTOFF VALVE LOCATION



Either under the stairs or in Laundry room

#### GAS MAIN VALVE LOCATION



At the gas meter on the exterior of the home. Crescent wrench required to turn knob. ALWAYS call gas company for any suspected leaks. They will come test & repair at NO COST.

#### WARRANTY AND INSTRUCTIONS LOCATION

Your home is one of the most important financial investments and proper maintenance will help you protect this valuable asset. Since you are the owner, it is your responsibility to take good care of your home.

You take charge of maintaining your home by regularly doing:

- routine inspections
- preventative maintenance

A house is made up of a lot of different parts that are all related and depend on the other parts. For example, if you have a leak in your roof, it can not only damage your roof, but can cause you to have problems with your ceilings, walls, and your electrical system as well. So, it's very important that you fix a problem when you detect it.

This Home Maintenance Guide will provide you with important information about the different parts of your house. Each section will give you several important items to look for as you conduct your routine inspections. As we discuss each part of the house, we will give you preventive maintenance tips that can save you from problems in the future.

The first section gives you a place to record the important names and phone numbers of departments, companies, and home maintenance professionals that you must keep on hand for maintenance and emergencies.

Then we'll look at all the major parts of your house. In each section, we'll discuss what you need to look out for in your routine inspections and how you can take preventive measures to maintain your house.

The last section is a schedule for a month-by-month inspection of your house. If you follow the monthly inspection schedule, it will help keep your house in top-notch condition.

Remember, problems with your house will not simply go away. They will only get bigger and cost you more. It's really true that "an ounce of prevention is worth a pound of cure."

# **HOME EXTERIORS**



When you think of the exterior part of your house, you think of the outside portion of your house. The exterior of your house is made up of five major areas:

#### **FOUNDATION**

- The foundation of your house supports the structure that is above it and keeps the structure from shifting.

#### **SIDING**

- The siding of the house is the outside walls.

#### **ROOF**

- The roof covers the top of the house.

#### **WINDOWS AND DOORS**

- Windows and doors are openings in the siding and walls of your house.

#### **YARD**

- The yard is that area surrounding your house generally known as your property.

Front yard areas are maintained by the HOA.

#### **FOUNDATION**

The foundation of your house is the part of your house that supports the floor, the walls, the roof and everything inside your home. A well-constructed and properly maintained foundation should last for your lifetime. There are several different types of foundations, but one thing that they all have in common is that they must rest on solid ground. If a foundation is properly built, you should have very few problems if you maintain it. A foundation that is poorly will only cause you problems. A foundation can create many different problems inside your house. Some may be very minor and require little repairs, while others may be major, life-threatening problems that require lots of time and money to fix.

The foundation of every house should be inspected at least twice a year, once in the spring and once in the fall. As your house ages and settles, your foundation can crack, creating problems. Severe weather conditions such as bad winters, severe summer storms, or long rainy periods can create foundation problems.

The foundation should look like a "footprint" of your house that is designed to carry the house's weight. The foundation is built on footers with concrete slabs.

#### **FOUNDATION INSPECTION**

The first time you inspect your foundation you should make notes as to your findings and the date the inspection was done.

You will then be able to check any changes that may occur over the next few years based on your notes.

The first time you inspect your foundation you should make notes as to your findings and the date the inspection was done. You will then be able to check any changes that may occur over time.

# LANDSCAPING, DRAINAGE AND WATER RUNOFF

To begin your inspection you need to look at the landscaping and drainage around the foundation. You should also make sure that any gutters and downspouts will be diverted away from the foundation. Landscaping planted around the foundation will absorb the water and stabilize the soil. However, trees and shrubs with large root systems can damage the foundation.

# CRACKS, LEAKS, AND CONDENSATION

Small hairline cracks are common and nothing to worry about. However, cracks that are wider than 1/16" are dangerous. Wider cracks should be inspected by a professional inspector to determine the cause of the cracking. Vertical or stepping cracks usually are caused by severe winters where the ground has frozen and expanded, thereby putting pressure on the foundation. Cracking can also be caused by a "settling" of the foundation. Settling cracks will occur in the foundation, they are generally from improper drainage or condensation.

#### **INSECTS**

Insects are a potential problem to consider when examining your foundation. Termites, worms, and ants can hide in your house and create problems before you even know they are there. They generally like dark and damp places that are difficult for the naked eye to detect. You should have an annual termite inspection to ensure that you keep your house free of bugs.

The best way to keep insects out of your house is to hire an exterminator to spray for bugs on a regular schedule.

#### **FOUNDATION MAINTENANCE**

Low-lying shrubs and ground cover, like grass or mulch, will allow the soil to drain away from the foundation and will keep the soil around your foundation stable. Plants should not be planted next to the walls of your house. Flowerbeds should be planted several feet from the house. This allows for adequate drainage of the soil and limits the moisture and condensation.

Small hairline cracking can be prevented by keeping the soil around the foundation as dry as possible. If the foundation is properly installed and if the ground surrounding the foundation drains properly, cracking will be minimal.

he treatment and prevention of termites is not a do-it-yourself project. It takes a complete understanding and knowledge of how and where the insects live. You should hire a properly trained professional exterminator to get rid of the insects. Once you start having foundation problems, it is difficult and costly to correct them. These measures are simple maintenance tips that can save you from expensive foundation repairs.

#### **EXTERIOR WALLS**

The exterior walls and siding of your house should be watertight to prevent water damage and drafts. Peeling paint, damaged shingles, and open seams in siding and trim are not only unsightly, they invite serious problems. Proper maintenance of your exterior walls will help you avoid costly damage to the inner walls. Exterior walls are made up of framing, insulation, sheeting siding, and trim. Each item plays an important part in making your house weatherproof which will keep you dry and warm inside. There are several different types of siding: wood, vinyl, aluminum, brick, and stone. But the simple truth is that siding and trim do not last unless they are well-kept.

#### **EXTERIOR WALL INSPECTIONS**

No matter what type of siding and trim you may have on your exterior walls you need to inspect the walls at least twice a year. Your primary concern will be detecting areas where water may get through your walls. Inspect the walls from top to bottom looking carefully for defects in the surface. It may be necessary to use a screwdriver on the surface to see if the wood is rotting.

## **HOME EXTERIORS**

Pay close attention to the walls on the south side of the house. These walls get more exposure to the sun and to variations in temperature which makes them more apt to deterioration. Keep a record of the condition and any changes in the exterior walls of your house.

#### **EXTERIOR WALL MAINTENANCE**

As part of your inspection, you should include routine maintenance through periodic cleaning, caulking, painting or staining, and any simple preventive repair jobs on an as-needed basis.

Cleaning- One of the simplest maintenance chores for your walls is to simply hose down your siding and trim to remove dirt and grime. With vinyl, aluminum, and wood siding you may find it necessary to scrub down the dirty surfaces with a cleaning solution. Any hardware store will have cleaning supplies.

While you are cleaning, look for mildew on your walls.

You should clean the mildew with 1 part household liquid bleach mixed with 3 parts warm water. Scrub the surface and let it soak for 15 minutes. Then use a garden hose and rinse the wall. If the mildew remains, scrub the walls with a mixture of water and powdered laundry soap.

**Caulking Openings-** caulking and sealing open joints and seams in the exterior walls should be a priority in your routine

maintenance program. Openings will allow moisture, water, drafts, and insects to creep into your house. Caulking dries out over time, so don't be surprised to find yourself caulking each year. Caulking is a simple process that you can perform using a caulking gun and a putty knife. Make sure you are using the right kind of caulk for what you are sealing. Your hardware store can help you select the correct caulk. Areas that typically need caulking are listed below:

- 1. Windows & door frames
- 2. Seal small foundation cracks
- 3. Cracks in siding
- 4. Trim & siding joints
- 5. Vents
- 6. Foundation & siding joints

Painting and Staining- If you keep the paint on your house in good condition, the joints and seams well caulked and the wall surfaces clean, you will greatly reduce the chances of wood decay and moisture getting into your house. Paint will blister and peel over time due to sun and weather. When this occurs, you are allowing water to get into your house.

The correct way to repaint a surface that is blistering and peeling is to scrape off all of the loose paint. Wash the area with a mild detergent, then clean off the surface and let it dry completely. Once the surface has dried, caulk the areas that are needed, reset loose nails, putty over holes, and paint a primer coat on all bare surfaces. Again allow the area to dry. Last, apply two coats of paint being sure that each coat of paint dries completely. By preparing the surface, you will extend the time between painting.

TA word of caution: At the bottom of each wall you will find small openings called weep holes. They are there to allow moisture to escape. Locate the weep holes first, and then be sure to leave them open so they can let trapped moisture escape.

As with any preventive maintenance, before making repairs to your exterior walls, find the source of the problem. Covering up a problem will not make the problem go away. The longer a problem exists, the more it is likely to cost you to repair. Be sure to go right to the source before making any repairs.

#### **ROOF AND GUTTERS**

The roof and the different parts of the roof, such as the flashing, drains, gutters, and downspouts, cannot be ignored year after year. Just because you don't have visible leaks doesn't mean that you don't have problems. Don't expect your roof to be problem-free. Proper maintenance can significantly extend the life of your roof.

To provide the best preventive maintenance for your roof, you should inspect your roof at least twice a year, once in the spring and again in the fall. It also makes good sense to scan your roof and gutters throughout the year. During and after a rainstorm, you can tell if gutters are clear of debris and if you have leaks around vents and fireplaces.

#### **ROOF AND GUTTERS INSPECTION**

Roof Covering- Shingles are the most common form of roof covering; however, the type of covering will depend on the slope of the roof. You will need to inspect the shingles from the ground, on top of the roof, and from the interior portion of the rafters in the attic.

If you find that the shingles are curling, cracking, losing their grainy surface, peeling away from the roof, and/or changing color; then the roof is showing signs of wear. It may be time to get a new roof.

When you perform your inspection in the attic, you will need to look for discoloring of rafters, watermarks on the walls, and decaying wood. Water leaks can be from old and decaying shingles. But more often than not, leaks occur around plumbing vent pipes, chimney structures, roof vents, and roof valleys.

If you discover leaks or damage contact a professional roofing contractor.

#### **Gutters and Downspouts-** One

of the most overlooked preventive maintenance measures for your roof is the cleaning of gutters and downspouts. Gutters and downspouts fill up with leaves, pine needles, and debris. When the gutters are clogged, this gives water the chance to seep into cracks and back up under the roofing material. Gutters will also spill over on the ground and can cause damp basements and foundations. If you want to limit your cleaning time, you can install plastic or wire screens over the gutters. However, the screens will also need some cleaning.

**Trees-** One thing many people overlook when performing a routine inspection is the location of trees and branches around your house. Trees and branches close to the house or hanging over the house can be a hazard to your roof. Contact the HOA if limbs or branches are hanging over your roof.

# WINDOWS AND DOORS INSPECTION

Windows are the biggest source of heat loss. Loose-fitting, cracked, or missing panes, allow your heat to go out the window during the winter. Caulking and weather stripping around the windows are very important. Caulking seals cracks and gaps around windows where frames meet exterior siding. Sealing the cracks and gaps reduces the rate of heat loss in addition to keeping moisture out of your house.

Weatherstripping is usually installed on windows where the sash and frame meet and on doors where the door and jamb meet along the sides and top. Weatherstripping is made of bronze, aluminum, steel, and rubber or plastic strips. Weather stripping needs to be replaced periodically, particularly in areas that are used most frequently.

ou need to inspect all of your windows every spring and every fall. Check the caulking and weather stripping around your window and look for cracked, missing, or loosely fitted windows. Doors provide you with protection from the outside. First, you need to check your

door for operation. Does the door open easily, does the door close completely and will the door lock securely? Then you need to make sure that the door is not cracked or damaged. Use a screwdriver to gently check for rotten wood, loose putty, and flaking caulk.

When you find these problems, generally it means that there is some type of moisture in your wood. You may be able to make some of these repairs yourself. If you do not know how to make these repairs, get a carpenter to make these improvements.

As with your windows, caulking and weather stripping are also very important. Doors that are used most frequently will need to be caulked and weather-stripped more often. If your door is still drafty, then you may have a problem with your house settling.

# WINDOWS AND DOORS MAINTENANCE

Inspect your windows and doors twice a year, once in the fall and once in the spring. You will need to look for and make repairs.

and make repairs.

- 1. Place holder
- 2. Scrape and paint any peeling paint on all doors and windows.
- 3. Replace or repair missing, loose, or deteriorated caulking.
- 4. Repair, tighten, or replace any loose or missing storm windows.
- 5. Patch or replace the screenings on the windows.

# **HOME INTERIORS**



The interior walls, ceilings and floors of your house form a surface that covers the structural frame, plumbing, electrical system, heating and cooling ducts and other building components that would

be unsightly or hazardous. This is why it is important to examine the interior of your house. For example, a leak in your plumbing can damage your walls, foundation and electrical systems.

#### INTERIOR INSPECTIONS

Since the walls, ceilings and floors cover the areas you are inspecting, you need to use your sense of sight and smell. You also have to train yourself to spot changes over time. Inspection of the interior of your house should be an ongoing process. As you clean your house, look for changes in the level of the floor, cracks in your walls, damp spots on your walls and floors. When you think you have found an area that may have changed, take the extra time to explore the problem. You want to catch a problem early before more extensive damage is done to your house. The following items are some warning signs that you should examine closely.

Sagging Ceilings and Walls- When inspecting your ceiling and walls, first make sure your room is well lit. Then look carefully at your ceilings and walls. Sagging ceilings may be a sign of loose wallboard or plaster and should be inspected more closely. Bowed walls may indicate a weakness in the structural framework. Minor localized sagging or softening of walls or ceilings may indicate a water leak above or behind the area. Water travels along the framework of your house and will settle in the lowest point. A leak in one area of the house may be noticed in an area that is far from the actual leak.

Cracks in Walls and Ceilings- Cracks come in many sizes, shapes and forms. All cracks need to be looked at to determine the cause. Very fine, straight cracks that are parallel to the walls and ceilings generally are of no great concern.

They can be repaired with a flexible caulking and touched up with paint.

Look closely with a magnifying glass at joints where two pieces of wallboard come together. Normally these joints are covered with paper tape and layers of joint compound. If you find a crack at a joint, only cosmetic repairs are necessary. You will need to watch the area over time to see if it occurs again and increases in size.

Cracks may change size from season to season as your home expands and contracts with the weather. If the cracks grow wider over time, you should call a professional to inspect your foundation. Cracks at angles, jagged cracks and open cracks need to be looked at more closely. If the cracks occur over a short period of time, look for the source. Poor drainage outside your home or standing water underneath it, may be causing the soil to lift and shift the home. An improperly constructed foundation in a freezing climate could be another cause.

Cracks in Floors- Cracks that appear in concrete slab floors or in rigid floor coverings such as ceramic tile should be closely analyzed. Trace the cracks to the outside wall where the face of the foundation is exposed. Here you can see if the crack runs up the wall or even through the foundation itself. Hairline cracks are common in any concrete structure. However, if the crack is wider than 1/8 inch, it should be further inspected and addressed.

Floor Squeaks and Buckling Floors - Wood floors are rarely squeak-free. Since green, unseasoned wood is used in new construction, squeaks can occur later when the wood dries out. Squeaks are annoying, but rarely a sign of structural problems.

Floors will buckle when they are exposed to high humidity or if they are not properly installed. Wood needs adequate expansion areas. When this is not provided, then the floor will buckle to get the necessary space.

**Insect Damage-** Inspection for insect damage needs to be an ongoing effort. The best way to address insect damage is to prevent insect damage. A profes-sional inspection service can inspect your home and periodically spray for insects. Once you spot insect damage, the insects are well on their way to spreading throughout your house.

You should look closely at exposed wood baseboards, trim, door and window jambs throughout your home. Small tan or dark brown pellets or a sawdust-like material indicates the presence of wood damage. Dry wood termites like dark, damp spaces. Again, the best way to prevent insect damage is to have your house professionally serviced on an annual basis.

Sight and Smell Senses - As you inspect your home, pay close attention to what your nose and eyes are telling you. A musty, damp, stale odor should be tracked at once. Check the crawl space or basement for moisture or damp soil.

Look and smell inside closets to determine whether they are adequately ventilated. Check for leaky pipes. Shower water that is continually splashed onto the floor can leak through cracks and cause the floor or subflooring to rot.

Check the walls behind furniture and pictures that are not frequently moved. Look for mold and mildew. This is a sign of moisture or poor ventilation. If your carpet smells, the padding may be absorbing moisture. Pull back your carpet to inspect the padding and floor for rust spots or fungal growth. If the carpeting falls apart when you pull at it, you have a serious moisture problem.

Use your eyes to survey for water leaks in your ceilings, walls and floors, particularly around baseboards. A water stain typically appears as a dark ring of discoloration around an affected area. As mentioned earlier, water will move along the framework of a house to the lowest point.

When a ceiling stain occurs below an attic, check for leaks in the attic plumbing and use a strong flashlight to inspect the roof frame. Be sure and check the caulking around windows and doors. As caulking gets older, it will crack and separate, allowing water to seep through into the interior of your house.

#### **INTERIOR MAINTENANCE TIPS**

When you see changes in your walls, ceilings and floors, you should take the

time to give them some immediate attention. Here are some interior maintenance tips that will help eliminate some major and costly repairs in the future. Use common sense when spotting changes in your house. The most important maintenance tip is to keep a clean house, free from trash and debris.

Ceilings- Ceilings that are newly installed generally need very little attention. However, if you see cracks and water stains they need to be looked into immediately. Most cracks are hairline cracks and do not represent a serious problem. These types of cracks can be easily patched and painted. Remember, every crack needs to be investigated to see if it represents a more serious problem.

Walls- Most wall damage is caused by simple physical abuse. You can prevent a problem by paying special attention to the care of your walls. Walls need to be periodically cleaned by a nonabrasive household cleaning product. You should find out the type of paint used on your walls and make sure that your cleaning solution is suitable for the surface. If you paint your walls, then you should be sure to use the type of paint that is suitable for your walls. You can always use oil-based paint over any type of paint. However, you can not paint water-based paint over oil-based paint.

Structural problems with walls are indications of a more serious problem within the interior walls or the foundation of the house. When a problem is discovered, it is important to determine

cause of the problem. This may require a professional inspector or contractor to look into the problem.

**Floors-** Floors should be maintained by regular cleaning and vacuuming. Regular cleaning can extend the life of your floor. A trouble-free floor depends on good subflooring and the installation of the subflooring.

Odors and Mildew- You can do a lot to control mildew and musty doors. Check all ventilating systems in the crawl spaces and attic. Replace vent screens that have become clogged by debris or paint. Closets may become musty due to poor circulation. Louvered doors increase air circulation and will help keep your closets smelling fresh. Place your furniture several inches away from the wall to allow ventilation. If your basement or crawl space has a dirt floor, try sealing the exposed earth with a sheet of plastic. This will act as a vapor barrier and will also keep moisture out of your house.

Stairways- Stairways are areas where accidents frequently occur. Make sure that handrails are securely attached to the walls and extend the length of the stairs. Each step should be the same depth and distance apart. When a stairway has steps of different heights, you are asking for trouble. Keep debris cleared off the stairs to prevent tripping.

Bathrooms and Kitchens - Bathrooms and kitchens need extra attention because of the constant presence of moisture. Use a strong flashlight to check the plumbing under the sinks. Check

behind refrigerators to make sure that water is not running out of your refrigerator and rotting your floor. A sponginess or discoloration of the floor covering around the toilet could mean a leak in the seal where it connects to the floor. Look for damaged or missing caulking between the tub, sinks, toilets, and the walls and floors. Joints between bathroom walls and sinks, bathtubs, or showers require caulking. It can not be over-emphasized that caulking is a simple and inexpensive method of moisture-proofing that can save you hundreds of dollars in later repairs.

The kitchen cooking areas need inspection about once a month. Check your range ventilator hood for grease build-up and keep it clean. This will reduce the risk of fire due to grease build-up. Light bulbs covered with grease should be cleaned or replaced.

Smoke/ CO Alarms- Each house should have at least one smoke alarm. If you have more than one level in your house, you should have one smoke alarm for each level. You should locate a smoke alarm in each bedroom. Smoke alarms operate on batteries or electricity. If you use batteries, then you will need to change your batteries twice a year. Smoke alarms are essential to the health and safety of your home.

#### WHO SHOULD DO THE WORK?

Normal routine inspection and maintenance will eliminate the need for a costly professional in most cases. By addressing a problem or potential problem early on, you may be able to make some of the repairs yourself. The longer a problem goes unattended, the more costly and more involved it will be to solve.

Most of the home maintenance tips presented here can be done by you or someone that is handy with repairs. Structural problems often require a professional to make the necessary repairs.

When using a professional, be sure to get a fixed price before they start the work. You should ask for references from the home repair professional and check the references. Make sure you have a written contract when working with a contractor. That way everyone will have a good understanding of the work to be performed. Once they begin the work and any changes are needed, make sure you know the cost of the changes. If you are paying for someone else to do the work, it should be quality work that he/she will stand behind.

# **PLUMBING**



Plumbing in your house is largely taken for granted until you have problems. If you have just had your house rehabilitated or reconstructed, any plumbing problems should have been addressed. When you start having small problems, this is a clue that your plumbing system needs some maintenance. Before you can inspect

your plumbing, you need to have a good understanding of your plumbing.

The plumbing in your house is made up of three different systems: a water supply system, a drain-waste system and a vent system. All three systems depend on your water source and the capacity of your water source.

#### **WATER SUPPLY SYSTEM**

Your responsibility begins at the property line. The utility company will bring the water to your property, then you are responsible for the water getting into your house.

The water should enter your house at 20 to 80 psi (pounds per square inch). If your water pressure is low, you need to check with the utility company to see if it has adequate-sized lines with the right amount of pressure to serve your home.

If you have problems with your water supply, hire a professional to inspect and maintain your water lines. Take note of your water bill. If your water bill is suddenly higher, you could have a leak in the ground. Also, if your water bill gradually increases, you could have a small leak in the house. Remember, when you water plants in the summer, you pay for the extra water.

When you have problems with the delivery of water to your house, call your utility company and ask them to inspect the lines. Keep in mind that you are responsible for maintaining the water line on your property.

Water Shutoff Valves- When water pipes break or leak, the damage to your home can be very costly. If you know how to shut off your water supply, you can prevent further damage to your house. There are several fixtures that have their own shutoff valve such as toilets, sinks, water heaters and washer connections. These shutoff

valves are generally located behind or beneath the fixture. In any case, you can always shut off the water at the meter and it will shut off all the water leading into the house.

You should take the time to familiarize yourself with the exact location of the shutoff valves for your house. You need to check to see if a tool is needed to assist you in shutting off the water. Inspect your shutoff valves to make sure they are fully opened. Then record the exact location of your shutoff valves in the spaces provided in the front of this guide.

#### **DRAIN-WASTE SYSTEM**

Used water and waste are carried to public sewage lines. One of the most frequent problems with your plumbing system is stopped or slow-draining fixtures and appliances. The best way to prevent problems with your drainage system is to limit the debris you put in your drain.

Each drain should be sealed off by a trap. The trap prevents gaseous odors from coming back into your house. If you have a sour or sewage smell in your house, you can pour some water down the drain. This will cause the trap to drain the liquid and create a seal between the drain and your sewer system. If the odor continues, then you will want to have a professional look at your drains.

#### **VENT SYSTEM**

Venting is necessary to maintain equal pressure in your plumbing system and to make sure that any sewer gases escape to the outside of your house. All plumbing fixtures must be vented to the outside. Some vents will lead to the roof while other vents will run to the side of the house. A newer house may have one main vent that connects to all the fixtures. It's important to keep the vents clear of debris. Small animals and birds can build nests in vents. A wire covering is always an easy way to prevent this. Vents should be checked twice a year to make sure that they do not become clogged, this. Vents should be checked twice a year to make sure that they do not become clogged.

#### PLUMBING INSPECTIONS

Many elements of your plumbing can be inspected by you, the homeowner. If you do not feel comfortable inspecting your plumbing, ask a friend or neighbor to help or call a licensed plumber. Do not confuse the plumbing pipes with gas lines or warm-water heating systems.

The Water Supply Pipes- First, locate your water shutoff valve. This can be located in a basement, crawl space, or outside the house. Know where your water meter is and how to shut off the water pipes at the main water line.

As you Inspect your house you will need to look for any type of leaks. Do not confuse sweating pipes with leaks. If you have a

wet pipe, wipe the pipe off with a towel. If the pipe is leaking, it will start dripping immediately. If a pipe is wet from condensation, it will take time to get wet again.

Exterior Faucets- If you have exterior faucets, you need to have frost-proof faucets or a stop-and-waste valve to prevent freezing. Both types of faucets can be bought at your local hardware store. You may need a professional to install the faucet or someone who knows plumbing. Another alternative is to install a shutoff valve on the water line leading to the outside faucet. During the cold weather months, it's always a good idea to drain your hoses and store them in a dry, warm area. This will keep your hose from cracking and extend the life of your hose.

The Water Heater- You will need to inspect your water heater regularly. To inspect the water heater you should start at the hot and cold water lines attached to the tank. Carefully touch each pipe to distinguish the hot water and cold water lines. Make sure that metal piping has been used for at least the first 12 inches above the heater. Check for corrosion or leakage at the pipe joints.

Locate the shutoff valve on the cold water line leading into the tank. Next, check the pressure and temperature relief valves to make sure they match the tank specifications usually found on the side of the water tank. Carefully inspect the outer metal jack for rust or signs of leakage. A leaking water heater almost

Always has to be replaced. Use a towel to make sure it is a leak and not condensation that has wet the outside of the tank.

Make sure your water heater is located in a drip pan. In case of a leak in the water heater, this can limit the damage done to your house. Your water heater must be vented to the outside of your house. This is particularly important with gas water heater tanks.

Drains and Sewage Pipes- Locate the drainage pipes in your house. They can be easily found by listening for running water. Drains and sewage pipes should have a gradual slope to allow the water to run down the pipe and not get backed up. Pipes should be securely fastened to the floor or walls every 4 to 5 feet. Carefully check for leaks in underwater fixtures such as toilets, sinks, and washing machines. All leaks should be repaired immediately.

If you have a slow drain, this indicates your drain lines need cleaning. If you have a slow drain or a clogged drain, you may be able to fix this problem. First, try pouring boiling water down the drain. It's a good idea to do this every week. This will eliminate build-up in the drain. If the drain still does not drain properly, you can use a plumber's plunger or a plumber's snake. If you use a chemical cleaner to clean your drain, read the instructions very carefully. Chemical cleaners will burn your skin and can cause permanent damage to your body. Remember, you can always call a professional to clean your drains.

The Vent System- Inspecting for vents

begins outside your house. You should have vents protruding through the roof or along the walls of your house. Vents should be capped to prevent clogging from outside debris and to keep an airtight seal between the inside and the outside. A simple wire screen will keep small animals and birds from nesting in your vent.

Continue your inspection of the vents on the inside of the house. When visible, ensure that vents are properly connected so the air will vent to the outside. Vents must end outside of your house. This is very important since sewers create vapors that can be deadly. The same is true with a gas furnace or gas hot water heater. Make sure that they vent to the outside.

Sewer Systems- You are on public sewer, you are responsible for getting the sewer lines from your house to your property line. At that point, the utility agency is responsible for transporting the sewage. If sewer lines become clogged, sewage can back up into your house. When this happens you have a very serious health and safety problem. Again, get a licensed plumber to correct the problem.

#### PLUMBING MAINTENANCE TIPS

Most homeowners can perform the routine inspections and maintenance tasks necessary to keep their plumbing in good shape. When you get into more serious matters. You should call a licensed professional plumber. Here are some very basic but helpful tips that can prevent some costly plumbing problems.

**Shutoff Valves-** Locate your shutoff valve so that you can go right to the valve in case of emergency. Once a year turn the valve completely off. Then open the valve completely and turn the valve one-quarter of a turn back. This will prevent the valve from corroding and getting stuck in the open position.

Water Heaters- Every six months drain a few gallons from the water heater to prevent sediment accumulation. Refer to your owner's manual for instructions on draining your system. Also, inspect the pressure and temperature relief valves for overflows. Again, refer to your owner's manual to see if they are operating at their designated specifications. If you have a gas water heater, a professional should check to make sure that it is vented properly.

Drains and Vents- Each month you should check the pop-up drains and strainers in your sinks. Check the hot and cold faucets to make sure that they will close completely. If you have a leak at the handle, it's probably a worn-out washer that needs replacing. Remember, if you do any work on a water fixture, you should shut off the water either at the fixture or at the main water shutoff valve.

Before winter comes you should make sure that the outside faucets are shut off or protected. Cold weather creates a booming business for plumbers. Make sure any exposed pipes or pipes that are not in a heated room, are properly insulated. In very cold weather, you may

want to leave a faucet dripping. This will keep the water in the pipes moving and will keep the water from freezing. Freezing causes pipes to expand. When the water thaws, old decaying pipes will burst. When

this happens, you should turn off the water leading into the house and call a licensed plumber.

Make a habit of running very hot water down your drain on a regular basis. This will help move along any debris that has gotten clogged or built up in your drain. If you smell gaseous odors in your house, pour water down the drain and then check the venting.

Water Supply- If you are a public water customer and you have low water pressure or a limited water supply during the day, report the problem to the utility agency. If the utility agency can not correct the problem, you may first need to replace your water line from the water meter to the house. Then replace the water lines in your house. Check with nearby neighbors to see if they are having water pressure or water supply problems.

#### HIRING A PROFESSIONAL

When you have plumbing problems that are beyond routine maintenance repairs, you may need to call a professional licensed plumber. Plumbers can be expensive. They should be licensed and should have liability insurance. You may

want to ask a friend or relative to suggest someone they have used. Don't hesitate to ask for references and don't hesitate to get bids from several plumbers. Most plumbers will charge a fee for making an initial visit. If you are going to get bids from several plumbers, check with them before they make the trip to your house. To protect yourself, you should have a written agreement for the work to be performed.

Even though we recommend that you perform routine maintenance tasks, it may be necessary to call a plumber for certain items. If you are not comfortable with performing routine maintenance, then you should call a plumber. You will have spent less money on ensuring that your plumbing system is properly maintained rather than waiting to call someone when you have a disaster. Use common sense with your routine maintenance and with necessary repairs that occur over a period of time.

# **ELECTRICAL SYSTEM**



Electricity is an essential utility that operates the majority of our appliances, our lighting and, in some cases, our heating and cooling systems. It is a utility that we have learned to depend on, and we find it most aggravating when our electrical service interrupted. All electrical work and inspections should be performed by a licensed electrician only. Working on your electrical circuitry is dangerous and can be deadly even to someone who understands how electricity works.

The electric company is responsible for providing electricity to the meter. Once the electricity passes through the meter, it becomes your responsibility. The electricity is then tied into an electrical service panel. Once inside the electrical service panel, electricity is distributed to the different circuits within the house.

#### **ELECTRICAL INSPECTIONS**

Your inspection of your electrical system will be entirely visual. Do not insert or probe any type of tool into any electrical panel or connection.

**Electrical Service Panel-** It is most important that you know where your electrical service panel is located. Go to the section in this Home Maintenance Guide for important numbers and notes and write down where the electricity enters your house.

Within the electrical service panel, you will find breakers or fuses that protect the electrical current against short circuits.

You will also see a main electrical disconnect switch that will turn off all electricity coming into the house. Once the electricity enters the service panel it is then broken down into circuits that provide electricity to specific appliances or areas of your house. Make sure that each breaker or circuit is labeled as to where it is providing electricity.

When a circuit becomes overloaded with electrical demand, the breaker will disconnect. When this occurs, you should first turn off the appliances and lights in that circuit. Then go to your electrical service panel and find which switch has been disconnected. Reconnect or flip the circuit to see if the electricity is restored to that particular circuit. If you flip the circuit and it disconnects or flips back you have overloaded your circuit. Try not to overload your circuits. Always use common sense when dealing with electricity.

You will also see a main electrical disconnect switch that will turn off all electricity coming into the house. Once the electricity enters the service panel it is then broken down into circuits that provide electricity to specific appliances or areas of your house. Make sure that each breaker or circuit is labeled as to where it is providing electricity.

When a circuit becomes overloaded with electrical demand, the breaker will disconnect. When this occurs, you should first turn off the appliances and lights in that circuit. Then go to your electrical service panel and find which switch has been disconnected. Reconnect or flip the circuit to see if the electricity is restored to that particular circuit. If you flip the circuit and it disconnects or flips back you have overloaded your circuit. Try not to overload your circuits. Always use common sense when dealing with electricity.

Electrical Wiring- Electrical wiring should be concealed behind the wall. However, sometimes it is necessary to run electrical wiring outside of the wall. When this occurs, all wiring must be run through a conduit to protect the wiring. You should also notice that as wiring becomes old it will crack and expose the metal inside the wire that conducts the electricity. This old, faulty wiring is a fire hazard and should be replaced.

Do not attempt to replace any wiring yourself. A licensed professional electrician understands the current and circuit requirements. Each year we read about numerous fires that have been prevented

Room-by-Room Inspections- The GFCI outlet is another outlet designed to protect people from severe electric shock. It monitors the current and disconnects the circuit if it senses an imbalance in the electrical current.

GFCI outlets are required in bathrooms, kitchens within 6 feet of a sink, and outdoors. You will know if you have a GFCI outlet because there will be a red button labeled test and reset or T and R. You should test your GFCI at least once a month by pressing the test button and resetting it.

You can test every outlet in your house by using a circuit tester or a small lamp. A circuit tester can be purchased at any hardware store. A circuit tester indicates if an outlet has energy and if it is correctly wired. Again, if you have electrical problems, don't attempt to correct yourself. Call a licensed professional electrician to do your electrical improvements.

As you inspect each room, check the light switches and the light fixtures by turning the switches on and off to see if they operate properly. If you have any light fixtures that have hanging cords from the ceiling, check the wiring very closely. If the wiring and/or insulation around the wiring is cracked, you need to have it replaced.

Extension cords can also be a hazard. If you have to use them, your home probably requires additional electrical outlets. Extension cords should never be secured with nails, run through walls, under doors or under carpets. Also, the

size of the wire of an extension cord should never be thinner than the cord of the appliance it serves.

#### **ELECTRICAL MAINTENANCE**

Check your monthly electric bill for large increases. Remember, you are billed on the amount of electricity used. The best way to reduce your electric bill is to reduce the amount of electricity used. Simple things that will help are turning off the lights when you leave a room and turning off appliances when not in use. Also, remember that heating and cooling with electricity will substantially increase your electric bill. If you still think your electric bill is high, you can contact the electric company and have them check the meter.

There are several things that you will need to check. Every spring or fall you will need to check the overhead service line that connects to your house. Make sure that trees and limbs are a safe distance away from the line. If you need to prune trees around the overhead service line, contact a professional tree pruning service, or, in some cases, your electric utility company will trim upon request.

Overloaded circuits are often indicated by flickering lights when appliances are turned on and by frequently blowing fuses or tripping circuit breakers. If you frequently trip the breakers, this may indicate that you don't have adequate service for your electrical demand, or that you are overloading that one particular circuit. Try moving appliances and lights to other outlets.

# **HEATING/AIR-CONDITIONING SYSTEM**



Heating a house is essential during cold weather. If your house is not heated, then all the other systems in your house are at risk. Pipes will freeze, electric circuits will become overloaded, and you are putting yourself at risk. If had you recently your house rehabilitated or a new house was constructed, your heating system should be adequate for the size of your house. As with your electrical system, the inspection of your heating system should be conducted by professionally licensed heating and airconditioning company. However, you can use your sight and smell for inspections and to detect problems.

#### **HEATING INSPECTION**

There are many different types of heating systems but each system is based on the type of energy you use. Determine what type of heating system you have and what type of energy you are using to heat your house. It could be gas-fired, or electric heat. Once you have determined the type of heating system you have, you should have a professionally licensed heating and air-conditioning company inspect your unit.

### **HEATING & AIR-CONDITIONING**

If you have a central heating system, then you will have a central thermostat that gives you a temperature reading. As the temperature changes within

your house, the heat will turn on and off to keep the temperature of the air constant. The colder the weather, the more demands that will be placed on your heating system. The less cold air allowed in your house, the less heat you need the lower your heating bill will be. For that reason, it's important that your house is insulated.

#### **HEATING MAINTENANCE**

Heating and systems are expensive to replace. For that reason, we recommend that you have your licensed heating system professional inspect your system once a year. If you will do this in September or October, you should have a problem-free winter.

If you have electrical heat, one of the easiest maintenance tasks that each homeowner can do is change or clean the filter every month. By changing the filters you allow your heating system to operate more efficiently. This will save you money.

If you smell gas you should immediately turn off your heating system and call the gas company. Don't try to make the repairs yourself. Today's gas-fired heating systems have a safety measure installed so that if your pilot light goes out, then the gas automatically shuts off. You will know if the system isn't working because your house will get colder and colder.

Every heating system is different. For that reason, use only a licensed heating and air conditioning professional who is familiar with your system for routine inspections, repairs, and maintenance.

#### **AIR-CONDITIONING SYSTEM**

There are several different variations of central air-conditioning units and some are combined with the heating system. As with heating systems, a licensed heating and air-conditioning professional should perform the routine inspections and maintenance of the system.

#### AIR-CONDITIONING INSPECTIONS

Again, you should only attempt to conduct a visual inspection. If you have problems call a professional. Your airconditioner should be inspected annually, usually during May or June when the outside temperature is above 60 degrees. As with your heating system, you need to know what kind of airconditioning unit you have and what type of energy to use to operate the system.

With a central air-conditioning system, you can determine if it is functioning properly by a simple test. Hold a 12-inch piece of yarn over the air-conditioning vent. The breeze should be strong enough to make the yarn flutter. Depending on the temperature, you may want to adjust the openings of the air vents. For example, the side of the house that is getting afternoon sun will require more cooling due to the exterior heat.

# AIR-CONDITIONING MAINTENANCE

You will conserve energy if you will set your unit to one temperature and leave it there. Many people will cut off their central air-conditioning during the day when they are not home. This is more costly than setting the unit at one temperature and letting it remain at that temperature.

Make a habit of changing or clearing your air filters at least oncee a month. This allows your unit to function at its maximum capacity and will keep the air in your home cleaner. Know where the air-return vent is located and do not block the front of the vent.

All air-conditioning units will have condensation which will result in water discharging from the air conditioner. You should have a pipe for drainage to the exterior of the house. These drains can become clogged with algae or debris. The drain lines should be cleaned out with your routine annual inspection. If you have a window unit, you will want to make sure that the water drains to the outside of the house.

Your heating and cooling systems are so specialized that all routine inspections, repairs, and maintenance should be performed by a licensed heating and cooling expert. However, you can learn to recognize problems early on before they become major problems that are more costly and time-consuming to make. An annual inspection of both your heating and air-conditioning will eliminate several aggravating problems.

# MONTHLY HOME MAINTENANCE & ROUTINE INSPECTION CHECKLIST

Here are some routine maintenance a inspection tasks that should be conducted on your house. Make a habit of performing these tasks each month and making the necessary repairs. This will reduce the possibility of expensive repairs and maintenance in the long run.

## **JANUARY**

1 2 3 4 5 Yr.	Clean and replace air filters.
	Check for tripped electrical breakers
	Inspect HVAC system.
	Clean dryer vent
<b>FEBRUAR</b>	Y
1 2 3 4 5 Yr.	Clean and replace air filters.
	Check for tripped electrical breakers
	Vacuum coils on refrigerator.
	Inspect electrical cords for damage

	MARCH	
Yr.	1 2 3 4 5	Clean and replace air filters.
		Check for tripped electrical breakers.
		Check the foundation of the house for cracks.
		Clean the gutters and downspouts.
		Vaccum air vents.
		Check gas connections.
		Drain your hot water heater.
	APRIL	
Yr.	1 2 3 4 5	Clean and replace air filters.
		Check for tripped electrical breakers.
		Check the exterior walls of the house.
		Replace or repair the screens of the doors & windows.
		Inspect the roof for loose or damaged roofing materials
		Have HVAC unit inspected by professional
	MAY	
Yr.	1 2 3 4 5	Clean and replace air filters.
		Check for tripped electrical breakers
		Reverse ceiling fans
		Check the painted surfaces of the house.
		Clean out gutters and downspouts.

	JU	IN	E		
Yr.	1	2	3	<b>4 5</b>	Clean and replace air filters.
					Check for tripped electrical breakers
					Check under sinks for dampness.
					Check the weather stripping on all doors & windows.
	JU	JL)	<b>/</b>		
Yr.	1	<b>2</b>	<b>3</b>	<b>4 5</b>	Clean and replace air filters.
					Check for tripped electrical breakers
					Inspect and make necessary repairs to flooring.
					Check all stairways to make sure they are secure.
	Αl	JG	US	T	
<b>\</b>	1	2	3	4 5	Closp and replace air filters
Yr.					Clean and replace air filters.  Chack for tripped electrical breakers
					Check for tripped electrical breakers
					Wash and clean interior walls.
					Make necessary repairs to any damaged walls.
					Drain your water heater.
	SE	EP'	TE	MBE	3
Yr.		<b>2</b>	<b>3</b>	<b>4 5</b>	Clean and replace air filters.
					Check for tripped electrical breakers
					Check insulation in your house & attic.
					Check the exterior walls/siding of your house.
					Check the foundation.

OCTOBER	
1 2 3 4 5	Clean and replace air filters.
	Check for tripped electrical breakers
	Check the caulking around windows & doors.
	Secure weather stripping around windows & doors.
	Replace or repair any damaged glass on windows or doors.
	Clean gutters & downspouts.
	Change smoke alarm batteries.
	Blow out sprinklers & sprinkler lines
NOVEMBED	
1 2 3 4 5	
	Clean and replace air filters.
	Check for tripped electrical breakers
	Check gas connections & ensure no leaks.
	Insulate all exposed water pipes to prevent freezing.
	Check roof for loose shingles.
	Vacuum air vents
DECEMBED	
	Clean and replace air filters.
	Check for tripped electrical breakers
	Check all faucets, hoses and valves for leaks.
	Clean dryer vent & hose